

Category of the Industry :

RED



CONSENT ORDER NO. 2208144538730 DATED: 05/07/2022.

PROCEEDINGS NO.F.1527CBS/RS/DEE/TNPCB/CBS/W/2022 DATED: 05/07/2022

SUB: Tamil Nadu Pollution Control Board - RENEWAL OF CONSENT – M/s. KOVAI BIOWASTE MANAGEMENT (P) LTD , S.F.No. 87/2,91/2, OORATTUKUPPAI village, Madukkarai Taluk and Coimbatore District - Renewal of Consent for the operation of the plant and discharge of sewage and/or trade effluent under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act 6 of 1974) – Issued- Reg.

REF: 1.CTO Proceeding No. F.1527CBS/RS/DEE/TNPCB/CBS/W&A/2021 dated: 21/04/2021
2.Unit's application through OCMMS dated 30.03.2022.
3.Minutes of the 244th DLCCC meeting held on 17/06/2022 (AE- I 244-59).
4.IR.No : F.1527CBS/RS/AE/CBS/2022 dated 29/06/2022.

RENEWAL OF CONSENT is hereby granted under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act, 6 of 1974) (hereinafter referred to as “The Act”) and the rules and orders made there under to

The Director
M/s.KOVAI BIOWASTE MANAGEMENT (P) LTD,
S.F.No. 87/2,91/2,
OORATTUKUPPAI Village ,
Madukkarai Taluk ,
Coimbatore District .

Authorising the occupier to make discharge of sewage and /or trade effluent.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This RENEWAL OF CONSENT is valid for the period ending March 31, 2027

**District Environmental Engineer,
Tamil Nadu Pollution Control Board,
COIMBATORE SOUTH**

SPECIAL CONDITIONS

1. This renewal of consent is valid for operating the facility for the manufacture of products/byproducts (Col. 2) at the rate (Col 3) mentioned below. Any change in the product/byproduct and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Sl. No.	Description	Quantity	Unit
Product Details			
1.	Common Bio Medical Waste Treatment and Disposal Facility- Incineration - Installed Capacity of the Incinerator-250 Kg/hr- 1 No	250	Kg/Hr
2.	Common Bio Medical Waste Treatment and Disposal Facility- Autoclaving - Installed Capacity of the Autoclave 200 Kgs /Cycle -1 No	200	Kgs/cycle

2. This renewal of consent is valid for operating the facility with the below mentioned outlets for the discharge of sewage/trade effluent. Any change in the outlets and the quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Outlet No.	Description of Outlet	Maximum daily discharge in KLD	Point of disposal
Effluent Type : Sewage			
1.	Sewage	0.5	On Industrys own land
Effluent Type : Trade Effluent			
1.	Trade Effluent	0.5	On land for gardening

Special Additional Conditions:

The unit shall obtain No Objection Certificate (NOC) from the Tamil Nadu Bio Diversity Board /National Bio Diversity Authority if the unit is using any Biological resources or knowledge associated thereto as per the provisions of Biological Diversity Act 2002.

Additional Conditions:

1. The unit shall comply with all the conditions stipulated in the CTO and subsequent Renewal Consent Order.
2. The Renewal of Consent is issued based on the following information furnished by the unit.
 - a. There is no increase in production over the consented quantity.
 - b. There is no increase in GFA of the unit from the previous information submitted by the unit.
 - c. There is no increase in quantity of sewage and trade effluent over the consented quantity.
 - d. There is no increase in the numbers of stacks and in emission over the consented quantity.
 - e. There is no change in the management or ownership of the company.
 - f. No court case is pending in respect of the unit against the Board in High court/Supreme court/NGT/Appellate Authority or any other cases.
3. In case of any deviation from the particulars mentioned in Sl.No.2, the unit has to inform the details to the O/o DEE, TNPCB, Coimbatore South. In such a case, the unit shall comply with appropriate directions to be issued by the Board.
4. The unit shall furnish the audited Balance Sheet every year for verification of the Gross Fixed Assets so as to collect the balance or consent fee, if any.
5. The unit shall comply with the E-Waste Management Rules, 2016. E-waste as listed in Schedule-I generated by them shall be channelized through collection centre or dealer of authorized producer or dismantler or recycler or through the designated take back service provider of the producer to authorized dismantler or recycler. The unit shall maintain records of e-waste generated by them in Form-2 and make such records available for scrutiny by the TNPCB. The unit shall file annual returns in Form-3, to the TNPCB on or before 30th day of June following the financial year.
6. The unit shall not "Use and throw plastic" such as plastic sheets used for food wrapping, spreading on dining table etc., Plastic plates, plastic coated tea cups, plastic tumbler, water pooches and packets, plastic straw, plastic carry bag and plastic flags irrespectively of thickness, within the industry premises. Instead unit shall encourage use of eco friendly alternatives such as banana leaf, areca nut palm plate, stainless steel, glass, porcelain plates/cups, cloth bag, jute bag etc.

**District Environmental Engineer,
Tamil Nadu Pollution Control Board,
COIMBATORE SOUTH**

To
The Director,
M/s.KOVAI BIOWASTE MANAGEMENT (P) LTD,
SF No.87/2, 87/2,91/2,Orattukuppai Village , Madukkarai Taluk, Coimbatore District.,
Pin: 641201

Copy to:

- 1.The Commissioner, MADUKKARAI-Panchayat Union, Madukkarai Taluk, Coimbatore District .
 2. Copy submitted to the Member Secretary, Tamil Nadu Pollution Control Board, Chennai for favour of kind information.
 3. Copy submitted to the JCEE-Monitoring, Tamil Nadu Pollution Control Board, Coimbatore for favour of kind information.
 4. File
-